

Prof. Dr. Hakan Camuzcuoglu

Article, Presentation, Publication, Congress, Course, Award:

A1. Full articles published in journals scanned by SCI or SCI-Expanded:

[A1.1 Inal MM, Incebiyik A, Sancı M, Yildirim Y, Polat M, Pilancı B, Nayki C, Camuzcuoğlu H. Ovarian cysts in tamoxifen-treated women with breast cancer. Eur J Obstet Gynecol Reprod Biol 2005;120:104-106.](#)

[A1.2 Camuzcuoglu H, Arioğ DT, Toy H, Kurt S, Celik H, Erel O. Serum paraoxonase and arylesterase activities in patients with epithelial ovarian cancer. Gynecol Oncol 2009;112:481-485.](#)

[A1.3 Toy H, Camuzcuoglu H, Celik H, Erel O, Aksoy N. Assessment of serum paraoxonase and arylesterase activities in early pregnancy failure. Swiss Med Wkly 2009;139:76-81.](#)

[A1.4 Camuzcuoglu H, Toy H, Cakir H, Celik H, Erel O. Decreased paraoxonase and arylesterase activities in the pathogenesis of future atherosclerotic heart disease in women with gestational diabetes mellitus. J Womens Health \(Larchmt\) 2009;18:1435-1439.](#)

[A1.5 Arioğ DT, Camuzcuoglu H, Toy H, Kurt S, Celik H, Aksoy N. Serum prolidase activity and oxidative status in patients with stage I endometrial cancer. Int J Gynecol Cancer 2009;19:1244-1247.](#)

[A1.6 Camuzcuoglu H, Arioğ DT, Toy H, Kurt S, Celik H, Aksoy N. Assessment of preoperative serum prolidase activity in epithelial ovarian cancer. Eur J Obstet Gynecol Reprod Biol 2009;147:97-100.](#)

[A1.7 Toy H, Camuzcuoglu H, Arioğ DT, Kurt S, Celik H, Aksoy N. Serum prolidase activity and oxidative stress markers in pregnancies with intrauterine growth restricted infants. J Obstet Gynecol Research 2009;35:1047-1053.](#)

[A1.8 Arioğ DT, Camuzcuoglu H, Toy H, Kurt S, Celik H, Erel O. Assessment of serum paraoxonase and arylesterase activities in patients with endometrial cancer. Eur J Gynaecol Oncol 2009;30:679-682.](#)

[A1.9 Camuzcuoglu H, Toy H, Vural M, Yildiz F, Aydın H. Internal iliac artery ligation for severe postpartum hemorrhage and severe hemorrhage after postpartum hysterectomy. J Obstet Gynaecol Res 2009;36:538-543.](#)

[A1.10 Toy H, Camuzcuoglu H, Camuzcuoglu A, Celik H, Aksoy N. Decreased serum prolidase activity and increased oxidative stress in early pregnancy loss. Gynecol Obstet Invest 2010;69:122-127.](#)

[A1.11 Vural M, Camuzcuoglu H, Toy H, Aksoy N. Amniotic Fluid Prolidase Activity and Oxidative Status in Neural Tube Defects. Fetal Diagn Ther 2010;28:34-39.](#)

[A1.12 Vural M, Toy H, Camuzcuoglu H, Aksoy N. Comparison of prolidase enzyme activities of maternal serum and placental tissue in patients with early pregnancy failure. Arch Gynecol Obstet 2011;283:953-958.](#)

[A1.13 Torun AN, Vural M, Cece H, Camuzcuoglu H, Toy H, Aksoy N. Paraoxonase-1 is not affected in polycystic ovary syndrome without metabolic syndrome and insulin resistance, but oxidative stress is altered. Gynecol Endocrinol 2011;27:988-992.](#)

[A1.14 Camuzcuoğlu H, Toy H, Vural M, Camuzcuoğlu A, Taşkın A, Çelik H. Serum paraoxonase and arylesterase activities in iron deficiency anemia during pregnancy. Turk J Med Sci 2011;241:185-191.](#)

[A1.15 Vural M, Camuzcuoglu H, Toy H, Camuzcuoglu A, Aksoy N. Oxidative stress and prolidase activity in women with uterine fibroids. J Obstet Gynaecol 2012;32:68-72.](#)

[A1.16 Vural M, Camuzucoglu H, Toy H, Eren MA, Cece H, Aydın H, Kocyigit A, Aksoy N. Evaluation of the future atherosclerotic heart disease with oxidative stress and carotid artery intima media thickness in gestational diabetes mellitus. Endocrine Research 2012;37:145-153.](#)

[A1.17 Eren MA, Vural M, Cece H, Camuzcuoglu H, Yildiz S, Toy H, Aksoy N. Association of serum amyloid A with subclinical atherosclerosis in women with gestational diabetes. Gynecol Endocrinol 2012;28:1010-1013.](#)

[A1.18 Oztekin D, Kurt S, Camuzcuoglu H, Balsak D, Dicle N, Tınar S. Granulosa cell tumors of the ovary: review of 43 cases. J BUON 2012;17:461-464.](#)

[A1.19 Hilali N, Vural M, Camuzcuoglu H, Camuzcuoglu A, Aksoy N. Increased prolidase activity and oxidative stress in PCOS. Clin Endocrinol \(Oxf\) 2013;79:105-110.](#)

[A1.20 Eren MA, Vural M, Yildiz S, Cece H, Camuzcuoglu H, Toy H, Kocyigit A. Association of parity with osteoprotegerin levels and atherosclerosis. Arch Gynecol Obstet 2013;287:1081-1086.](#)

[A1.21 Hilali N, Aksoy N, Vural M, Camuzcuoglu H, Taskin A. Oxidative status and serum prolidase activity in tubal ectopic pregnancy. Journal of the Pakistan Medical Association 2013;63:169-172.](#)

[A1.22 Hilali N, Kocyigit A, Demir M, Camuzcuoglu A, Incebiyik A, Camuzcuoglu H, Vural M, Taskin A. DNA damage and oxidative stress in patients with mild preeclampsia and offspring. EJOGRB 2013;170:377-380.](#)

[A1.23 Incebiyik A, Hilali NG, Camuzcuoglu A, Vural M, Camuzcuoglu H. Myomectomy during caesarean: a retrospective evaluation of 16 cases. Arch Gynecol Obstet 2014;289:569-573.](#)

[A1.24 Aksin M, Incebiyik A, Vural M, Gul Hilali N, Camuzcuoglu A, Camuzcuoglu H, Aksoy N. Does a risky outcome of antenatal screening test indicate oxidative stress? J Matern Fetal Neonatal Med 2014;27:1033-1037.](#)

[A1.25 Incebiyik A, Camuzcuoglu A, Hilali NG, Vural M, Camuzcuoglu H. Plasma D-dimer level in the diagnosis of adnexal torsion J Matern Fetal Neonatal Med 2014;28:1-4.](#)

[A1.26 Incebiyik A, Seker A, Vural M, Gul Hilali N, Camuzcuoglu A, Camuzcuoglu H. May mean platelet volume levels be a predictor in the diagnosis of pelvic inflammatory disease? Wien Klin Wochenschr 2014;126:422-426.](#)

[A1.27 Ozalp SS, Telli E, Oge T, Tulunay G, Boran N, Turan T, et al. Multicenter analysis of gestational trophoblastic neoplasia in Turkey. Asian Pac J Cancer Prev 2014;15:3625-3628.](#)

[A1.28 Incebiyik A, Camuzcuoglu A, Hilali NG, Ulas T, Vural M, Camuzcuoglu H, Aksoy N. Serum oxidative stress, visfatin and apelin in healthy women and those with premenstrual syndrome. J Obstet Gynaecol 2014;11:1-5.](#)

[A1.29 Incebiyik A, Genc A, Hilali NG, Camuzcuoglu A, Camuzcuoglu H, Kilic A, Vural M. Prevalence of \$\beta\$ -Thalassemia Trait and Abnormal Hemoglobins in Sanliurfa Province in Southeast Turkey. Hemoglobin 2014;38:402-404.](#)

[A1.30 Incebiyik A, Vural M, Camuzcuoglu A, Camuzcuoglu H, Hilali NG, Taskin A, Aydin H, Aksoy N. Comparison of tissue prolidase enzyme activity and serum oxidative stress level between pregnant women with placental abruption and those with a healthy pregnancy . Arch Gynecol Obstet 2015;291:805-809.](#)

[A1.31 Hilali N, Kocarlan S, Vural M, Incebiyik A, Camuzcuoglu A, Camuzcuoglu H. Ki-67 proliferation index in patients with placenta previa percreta in the third trimester. Wien Klin Wochenschr 2015;127:98-102.](#)

A1.32 Incebiyik A, Ahmet Seker, Camuzcuoglu H, Kocarlan S, Camuzcuoglu A, Hilali N, Vural M, Taskin A, Aksoy N. Does sildenafil have protective effects against ovarian ischemia-reperfusion injury in rats? Arch Gynecol Obstet 2015;291:1283-1288.

[A1.33 Karakas O, Karakas E, Dogan F, Kilicaslan N, Camuzcuoglu A, Incebiyik A, Camuzcuoglu H. Diffusion-weighted MRI in the differential diagnosis of uterine endometrial cavity tumors. Wien Klin Wochenschr. 2015;127:266-273.](#)

A1.34 Incebiyik A, Vural M, Camuzcuoglu H, Taskin A, Camuzcuoglu A, Hilali NG, Aksoy N. Can circulating M30 and M65 levels be beneficial markers in the diagnosis and management of patients with complete hydatidiform mole? Wien Klin Wochenschr. 2015 Apr 14. [Epub ahead of print] DOI 10.1007/s00508-015-0735-5.

[A1.35 Incebiyik A, Kocarlan S, Camuzcuoglu A, Hilali N, Incebiyik H, Camuzcuoglu H. Trophoblastic E-cadherin and TGF-beta expression in placenta percreta and normal pregnancies. J Matern Fetal Neonatal Med 2016;29:126-129.](#)

[A1.36 Incebiyik A, Camuzcuoglu H, Vural M, Hilali NG, Camuzcuoglu A, Seker A, Taskin A, Aksoy N. Assessment of Apoptotic Activity Dysregulation and Oxidative Stress in the Development of Epithelial Ovarian Cancer: A Case-Controlled Descriptive Analysis. Gynecol Obstet Invest. 2016;81:71-77.](#)

A1.37 Camuzcuoglu A, Vural M, Hilali NG, Incebiyik A, Yuce HH, Kucuk A, Camuzcuoglu H. Surgical management of 58 patients with placenta praevia percreta. Wien Klin Wochenschr. 2016;128:360-366.

[A1.38 Camuzcuođlu A, Sezgin B, elik H, Camuzcuođlu H. Evaluation of serum M30 and M65 activity in patients with stage-I endometrial cancer. J Obstet Gynaecol 2019;39:1112-1116.](#)

[A1.39 Sezgin B, Camuzcuođlu A, Kck M, Camuzcuođlu H. Bilateral uterine artery coagulation in laparoscopic hysterectomy for benign disease in uteri more than 1000 g. J Obstet Gynaecol Res 2020;46:133-139.](#)

[A1.40 Sezgin B, Pirinci F, Camuzcuođlu A, Erel , Neřeliođlu S, Camuzcuođlu H. Assessment of thiol disulfide balance in early-stage endometrial cancer J Obstet Gynaecol Res 2020;46:1140-1147.](#)

[A1.41 Sezgin B, Kinci MF, Pirinci F, Camuzcuođlu A, Erel , Neřeliođlu S, Camuzcuođlu H. Thiol-disulfide status of patients with cervical cancer. J Obstet Gynaecol Res 2020;46:2423-2429.](#)